ANNEX 1

Table 1. Exemption levels and clearance levels that can be applied to the exemption of solid materials regardless of the amount.

Part 1. Artificial radionuclides

Radionuclide	**Activity concentration (kBq kg^{-1})**
H-3	100
Be-7	10
C-14	1
F-18	10
Na-22	0,1
Na-24	1
Si-31	1 000
P-32	1 000
P-33	1 000
S-35	100
Cl-36	1
Cl-38	10
K-42	100
K-43	10
Ca-45	100
Ca-47	10
Sc-46	0,1
Sc-47	100
Sc-48	1

V-48	1
Cr-51	100
Mn-51	10
Mn-52	1
Mn-52m	10
Mn-53	100
Mn-54	0,1
Mn-56	10
Fe-52 ([a])	10
Fe-55	1 000
Fe-59	1
Co-55	10
Co-56	0,1
Co-57	1
Co-58	1
Co-58m	10 000
Co-60	0,1
Co-60m	1 000
Co-61	100
Co-62m	10
Ni-59	100
Ni-63	100
Ni-65	10
Cu-64	100

Zn-65	0,1
Zn-69	1 000
Zn-69m (ª)	10
Ga-72	10
Ge-71	10 000
As-73	1 000
As-74	10
As-76	10
As-77	1 000
Se-75	1
Br-82	1
Rb-86	100
Sr-85	1
Sr-85m	100
Sr-87m	100
Sr-89	1 000
Sr-90 (ª)	1
Sr-91 (ª)	10
Sr-92	10
Y-90	1 000
Y-91	100
Y-91m	100
Y-92	100
Y-93	100

Zr-93	10
Zr-95 (a)	1
Zr-97 (a)	10
Nb-93m	10
Nb-94	0,1
Nb-95	1
Nb-97 (a)	10
Nb-98	10
Mo-90	10
Mo-93	10
Mo-99 (a)	10
Mo-101 (a)	10
Tc-96	1
Tc-96m	1 000
Tc-97	10
Tc-97m	100
Tc-99	1
Tc-99m	100
Ru-97	10
Ru-103 (a)	1
Ru-105 (a)	10
Ru-106 (a)	0,1
Rh-103m	10 000
Rh-105	100

Pd-103 ([a])	1 000
Pd-109 ([a])	100
Ag-105	1
Ag-110m ([a])	0,1
Ag-111	100
Cd-109 ([a])	1
Cd-115 ([a])	10
Cd-115m ([a])	100
In-111	10
In-113m	100
In-114m ([a])	10
In-115m	100
Sn-113 ([a])	1
Sn-125	10
Sb-122	10
Sb-124	1
Sb-125 ([a])	0,1
Te-123m	1
Te-125m	1 000
Te-127	1 000
Te-127m ([a])	10
Te-129	100
Te-129m ([a])	10
Te-131	100

Te-131m ([a])	10
Te-132 ([a])	1
Te-133	10
Te-133m	10
Te-134	10
I-123	100
I-125	100
I-126	10
I-129	0,01
I-130	10
I-131	10
I-132	10
I-133	10
I-134	10
I-135	10
Cs-129	10
Cs-131	1 000
Cs-132	10
Cs-134	0,1
Cs-134m	1 000
Cs-135	100
Cs-136	1
Cs-137 ([a])	0,1
Cs-138	10

Ba-131	10
Ba-140	1
La-140	1
Ce-139	1
Ce-141	100
Ce-143	10
Ce-144 ([a])	10
Pr-142	100
Pr-143	1 000
Nd-147	100
Nd-149	100
Pm-147	1 000
Pm-149	1 000
Sm-151	1 000
Sm-153	100
Eu-152	0,1
Eu-152m	100
Eu-154	0,1
Eu-155	1
Gd-153	10
Gd-159	100
Tb-160	1
Dy-165	1 000
Dy-166	100

Ho-166	100
Er-169	1 000
Er-171	100
Tm-170	100
Tm-171	1 000
Yb-175	100
Lu-177	100
Hf-181	1
Ta-182	0,1
W-181	10
W-185	1 000
W-187	10
Re-186	1 000
Re-188	100
Os-185	1
Os-191	100
Os-191m	1 000
Os-193	100
Ir-190	1
Ir-192	1
Ir-194	100
Pt-191	10
Pt-193m	1 000
Pt-197	1 000

Pt-197m	100
Au-198	10
Au-199	100
Hg-197	100
Hg-197m	100
Hg-203	10
Tl-200	10
Tl-201	100
Tl-202	10
Tl-204	1
Pb-203	10
Bi-206	1
Bi-207	0,1
Po-203	10
Po-205	10
Po-207	10
At-211	1 000
Ra-225	10
Ra-227	100
Th-226	1 000
Th-229	0,1
Pa-230	10
Pa-233	10
U-230	10

U-231	100
U-232 (a)	0,1
U-233	1
U-236	10
U-237	100
U-239	100
U-240 (a)	100
Np-237 (a)	1
Np-239	100
Np-240	10
Pu-234	100
Pu-235	100
Pu-236	1
Pu-237	100
Pu-238	0,1
Pu-239	0,1
Pu-240	0,1
Pu-241	10
Pu-242	0,1
Pu-243	1 000
Pu-244 (a)	0,1
Am-241	0,1
Am-242	1 000
Am-242m (a)	0,1

Am-243 ([a])	0,1
Cm-242	10
Cm-243	1
Cm-244	1
Cm-245	0,1
Cm-246	0,1
Cm-247 ([a])	0,1
Cm-248	0,1
Bk-249	100
Cf-246	1 000
Cf-248	1
Cf-249	0,1
Cf-250	1
Cf-251	0,1
Cf-252	1
Cf-253	100
Cf-254	1
Es-253	100
Es-254 ([a])	0,1
Es-254m ([a])	10
Fm-254	10 000
Fm-255	100

([a]) Parent radionuclides and their progeny whose dose contributions are taken into account are (presented) in the following table:

Parent radionuclide	**Progeny**
Fe-52	Mn-52m
Zn-69m	Zn-69
Sr-90	Y-90
Sr-91	Y-91m
Zr-95	Nb-95
Zr-97	Nb-97m, Nb-97
Nb-97	Nb-97m
Mo-99	Tc-99m
Mo-101	Tc-101
Ru-103	Rh-103m
Ru-105	Rh-105m
Ru-106	Rh-106
Pd-103	Rh-103m
Pd-109	Ag-109m
Ag-110m	Ag-110
Cd-109	Ag-109m
Cd-115	In-115m
Cd-115m	In-115m
In-114m	In-114
Sn-113	In-113m
Sb-125	Te-125m
Te-127m	Te-127

Te-129m	Te-129
Te-131m	Te-131
Te-132	I-132
Cs-137	Ba-137m
Ce-144	Pr-144, Pr-144m
U-232	Th-228, Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208
U-240	Np-240m, Np-240
Np-237	Pa-233
Pu-244	U-240, Np-240m, Np-240
Am-242m	Np-238
Am-243	Np-239
Cm-247	Pu-243
Es-254	Bk-250
Es-254m	Fm-254

Part 2. Naturally occurring radionuclides

Clearance levels for naturally occurring radionuclides in solid materials in secular equilibrium with their progeny:

Natural radionuclides from the U-238 series	1 kBq kg^{-1}
Natural radionuclides from the Th-232 series	1 kBq kg^{-1}
K-40	10 kBq kg^{-1}

ANNEX 2

Table 1. The exemption levels of total activity (3rd column) and activity concentration (2nd column) for a maximum quantity of approximately 1,000 kg of material.

Radionuclide	**Activity concentration (kBq kg^{-1})**	**Activity (Bq)**
H-3	1×10^6	1×10^9
Be-7	1×10^3	1×10^7
C-11	1×10^1	1×10^6
C-14	1×10^4	1×10^7
N-13	1×10^2	1×10^9
O-15	1×10^2	1×10^9
F-18	1×10^1	1×10^6
Na-22	1×10^1	1×10^6
Na-24	1×10^1	1×10^5
Si-31	1×10^3	1×10^6
P-32	1×10^3	1×10^5
P-33	1×10^5	1×10^8
S-35	1×10^5	1×10^8
Cl-36	1×10^4	1×10^6
Cl-38	1×10^1	1×10^5
Ar-37	1×10^6	1×10^8
Ar-41	1×10^2	1×10^9
K-40 ([1])	1×10^2	1×10^6
K-42	1×10^2	1×10^6
K-43	1×10^1	1×10^6

Ca-45	1×10^4	1×10^7
Ca-47	1×10^1	1×10^6
Sc-43	1×10^1	1×10^6
Sc-44	1×10^1	1×10^5
Sc-46	1×10^1	1×10^6
Sc-47	1×10^2	1×10^6
Sc-48	1×10^1	1×10^5
Ti-44	1×10^1	1×10^5
Ti-45	1×10^1	1×10^6
V-48	1×10^1	1×10^5
Cr-51	1×10^3	1×10^7
Mn-51	1×10^1	1×10^5
Mn-52	1×10^1	1×10^5
Mn-52m	1×10^1	1×10^5
Mn-53	1×10^4	1×10^9
Mn-54	1×10^1	1×10^6
Mn-56	1×10^1	1×10^5
Fe-52	1×10^1	1×10^6
Fe-55	1×10^4	1×10^6
Fe-59	1×10^1	1×10^6
Co-55	1×10^1	1×10^6
Co-56	1×10^1	1×10^5
Co-57	1×10^2	1×10^6
Co-58	1×10^1	1×10^6

Co-58m	1×10^4	1×10^7
Co-60	1×10^1	1×10^5
Co-60m	1×10^3	1×10^6
Co-61	1×10^2	1×10^6
Co-62m	1×10^1	1×10^5
Ni-59	1×10^4	1×10^8
Ni-63	1×10^5	1×10^8
Ni-65	1×10^1	1×10^6
Cu-64	1×10^2	1×10^6
Cu-67	1×10^2	1×10^6
Zn-63	1×10^1	1×10^5
Zn-65	1×10^1	1×10^6
Zn-69	1×10^4	1×10^6
Zn-69m	1×10^2	1×10^6
Ga-67	1×10^2	1×10^6
Ga-68	1×10^1	1×10^5
Ga-72	1×10^1	1×10^5
Ge-68 ([b])	1×10^1	1×10^5
Ge-71	1×10^4	1×10^8
As-73	1×10^3	1×10^7
As-74	1×10^1	1×10^6
As-76	1×10^2	1×10^5
As-77	1×10^3	1×10^6
Se-73	1×10^1	1×10^6

Se-75	1×10^{2}	1×10^{6}
Br-76	1×10^{1}	1×10^{5}
Br-77	1×10^{2}	1×10^{6}
Br-82	1×10^{1}	1×10^{6}
Kr-74	1×10^{2}	1×10^{9}
Kr-76	1×10^{2}	1×10^{9}
Kr-77	1×10^{2}	1×10^{9}
Kr-79	1×10^{3}	1×10^{5}
Kr-81	1×10^{4}	1×10^{7}
Kr-81m	1×10^{3}	1×10^{10}
Kr-83m	1×10^{5}	1×10^{12}
Kr-85	1×10^{5}	1×10^{4}
Kr-85m	1×10^{3}	1×10^{10}
Kr-87	1×10^{2}	1×10^{9}
Kr-88	1×10^{2}	1×10^{9}
Rb-81	1×10^{1}	1×10^{6}
Rb-82m	1×10^{1}	1×10^{6}
Rb-86	1×10^{2}	1×10^{5}
Sr-82 ([b])	1×10^{1}	1×10^{5}
Sr-85	1×10^{2}	1×10^{6}
Sr-85m	1×10^{2}	1×10^{7}
Sr-87m	1×10^{2}	1×10^{6}
Sr-89	1×10^{3}	1×10^{6}
Sr-90 ([b])	1×10^{2}	1×10^{4}

Sr-91	1×10^{1}	1×10^{5}
Sr-92	1×10^{1}	1×10^{6}
Y-86	1×10^{1}	1×10^{5}
Y-88	1×10^{1}	1×10^{6}
Y-90	1×10^{3}	1×10^{5}
Y-91	1×10^{3}	1×10^{6}
Y-91m	1×10^{2}	1×10^{6}
Y-92	1×10^{2}	1×10^{5}
Y-93	1×10^{2}	1×10^{5}
Zr-89	1×10^{1}	1×10^{6}
Zr-93 ([b])	1×10^{3}	1×10^{7}
Zr-95	1×10^{1}	1×10^{6}
Zr-97 ([b])	1×10^{1}	1×10^{5}
Nb-93m	1×10^{4}	1×10^{7}
Nb-94	1×10^{1}	1×10^{6}
Nb-95	1×10^{1}	1×10^{6}
Nb-97	1×10^{1}	1×10^{6}
Nb-98	1×10^{1}	1×10^{5}
Mo-90	1×10^{1}	1×10^{6}
Mo-93	1×10^{3}	1×10^{8}
Mo-99	1×10^{2}	1×10^{6}
Mo-101	1×10^{1}	1×10^{6}
Tc-94m	1×10^{1}	1×10^{5}
Tc-96	1×10^{1}	1×10^{6}

Tc-96m	1×10^3	1×10^7
Tc-97	1×10^3	1×10^8
Tc-97m	1×10^3	1×10^7
Tc-99	1×10^4	1×10^7
Tc-99m	1×10^2	1×10^7
Ru-97	1×10^2	1×10^7
Ru-103	1×10^2	1×10^6
Ru-105	1×10^1	1×10^6
Ru-106 ([b])	1×10^2	1×10^5
Rh-103m	1×10^4	1×10^8
Rh-105	1×10^2	1×10^7
Pd-103	1×10^3	1×10^8
Pd-109	1×10^3	1×10^6
Ag-105	1×10^2	1×10^6
Ag-108m	1×10^1	1×10^6
Ag-110m	1×10^1	1×10^6
Ag-111	1×10^3	1×10^6
Cd-109	1×10^4	1×10^6
Cd-115	1×10^2	1×10^6
Cd-115m	1×10^3	1×10^6
In-111	1×10^2	1×10^6
In-113m	1×10^2	1×10^6
In-114m	1×10^2	1×10^6
In-115	1×10^3	1×10^5

In-115m	1×10^{2}	1×10^{6}
In-116m	1×10^{1}	1×10^{5}
Sn-113	1×10^{3}	1×10^{7}
Sn-117m	1×10^{2}	1×10^{6}
Sn-125	1×10^{2}	1×10^{5}
Sb-122	1×10^{2}	1×10^{4}
Sb-124	1×10^{1}	1×10^{6}
Sb-125	1×10^{2}	1×10^{6}
Te-123m	1×10^{2}	1×10^{7}
Te-125m	1×10^{3}	1×10^{7}
Te-127	1×10^{3}	1×10^{6}
Te-127m	1×10^{3}	1×10^{7}
Te-129	1×10^{2}	1×10^{6}
Te-129m	1×10^{3}	1×10^{6}
Te-131	1×10^{2}	1×10^{5}
Te-131m	1×10^{1}	1×10^{6}
Te-132	1×10^{2}	1×10^{7}
Te-133	1×10^{1}	1×10^{5}
Te-133m	1×10^{1}	1×10^{5}
Te-134	1×10^{1}	1×10^{6}
I-123	1×10^{2}	1×10^{7}
I-124	1×10^{1}	1×10^{6}
I-125	1×10^{3}	1×10^{6}
I-126	1×10^{2}	1×10^{6}

I-128	1×10^{2}	1×10^{5}
I-129	1×10^{2}	1×10^{5}
I-130	1×10^{1}	1×10^{6}
I-131	1×10^{2}	1×10^{6}
I-132	1×10^{1}	1×10^{5}
I-133	1×10^{1}	1×10^{6}
I-134	1×10^{1}	1×10^{5}
I-135	1×10^{1}	1×10^{6}
Xe-127	1×10^{3}	1×10^{5}
Xe-131m	1×10^{4}	1×10^{4}
Xe-133	1×10^{3}	1×10^{4}
Xe-135	1×10^{3}	1×10^{10}
Cs-129	1×10^{2}	1×10^{5}
Cs-131	1×10^{3}	1×10^{6}
Cs-132	1×10^{1}	1×10^{5}
Cs-134m	1×10^{3}	1×10^{5}
Cs-134	1×10^{1}	1×10^{4}
Cs-135	1×10^{4}	1×10^{7}
Cs-136	1×10^{1}	1×10^{5}
Cs-137 ([b])	1×10^{1}	1×10^{4}
Cs-138	1×10^{1}	1×10^{4}
Ba-131	1×10^{2}	1×10^{6}
Ba-133	1×10^{2}	1×10^{6}
Ba-137m	1×10^{1}	1×10^{6}

Ba-140 ([b])	1×10^{1}	1×10^{5}
La-140	1×10^{1}	1×10^{5}
Ce-139	1×10^{2}	1×10^{6}
Ce-141	1×10^{2}	1×10^{7}
Ce-143	1×10^{2}	1×10^{6}
Ce-144 ([b])	1×10^{2}	1×10^{5}
Pr-142	1×10^{2}	1×10^{5}
Pr-143	1×10^{4}	1×10^{6}
Nd-147	1×10^{2}	1×10^{6}
Nd-149	1×10^{2}	1×10^{6}
Pm-143	1×10^{2}	1×10^{6}
Pm-147	1×10^{4}	1×10^{7}
Pm-149	1×10^{3}	1×10^{6}
Sm-151	1×10^{4}	1×10^{8}
Sm-153	1×10^{2}	1×10^{6}
Eu-152	1×10^{1}	1×10^{6}
Eu-152m	1×10^{2}	1×10^{6}
Eu-154	1×10^{1}	1×10^{6}
Eu-155	1×10^{2}	1×10^{7}
Gd-148	1×10^{1}	1×10^{4}
Gd-153	1×10^{2}	1×10^{7}
Gd-159	1×10^{3}	1×10^{6}
Tb-155	1×10^{2}	1×10^{7}
Tb-160	1×10^{1}	1×10^{6}

Dy-159	1×10^3	1×10^7
Dy-165	1×10^3	1×10^6
Dy-166	1×10^3	1×10^6
Ho-166	1×10^3	1×10^5
Er-169	1×10^4	1×10^7
Er-171	1×10^2	1×10^6
Tm-170	1×10^3	1×10^6
Tm-171	1×10^4	1×10^8
Yb-175	1×10^3	1×10^7
Lu-177	1×10^3	1×10^7
Hf-181	1×10^1	1×10^6
Ta-182	1×10^1	1×10^4
W-181	1×10^3	1×10^7
W-185	1×10^4	1×10^7
W-187	1×10^2	1×10^6
W-188 ([b])	1×10^2	1×10^5
Re-186	1×10^3	1×10^6
Re-188	1×10^2	1×10^5
Os-185	1×10^1	1×10^6
Os-191	1×10^2	1×10^7
Os-191m	1×10^3	1×10^7
Os-193	1×10^2	1×10^6
Ir-190	1×10^1	1×10^6
Ir-192	1×10^1	1×10^4

Ir-194	1×10^{2}	1×10^{5}
Pt-191	1×10^{2}	1×10^{6}
Pt-193	1×10^{4}	1×10^{7}
Pt-193m	1×10^{3}	1×10^{7}
Pt-197	1×10^{3}	1×10^{6}
Pt-197m	1×10^{2}	1×10^{6}
Au-194	1×10^{1}	1×10^{6}
Au-198	1×10^{2}	1×10^{6}
Au-199	1×10^{2}	1×10^{6}
Hg-197	1×10^{2}	1×10^{7}
Hg-197m	1×10^{2}	1×10^{6}
Hg-203	1×10^{2}	1×10^{5}
Tl-200	1×10^{1}	1×10^{6}
Tl-201	1×10^{2}	1×10^{6}
Tl-202	1×10^{2}	1×10^{6}
Tl-204	1×10^{4}	1×10^{4}
Pb-203	1×10^{2}	1×10^{6}
Pb-209	1×10^{5}	1×10^{6}
Pb-210 ([b])	1×10^{1}	1×10^{4}
Pb-212 ([b])	1×10^{1}	1×10^{5}
Bi-206	1×10^{1}	1×10^{5}
Bi-207	1×10^{1}	1×10^{6}
Bi-210	1×10^{3}	1×10^{6}
Bi-212 ([b])	1×10^{1}	1×10^{5}

Bi-213	1×10^{2}	1×10^{6}
Po-203	1×10^{1}	1×10^{6}
Po-205	1×10^{1}	1×10^{6}
Po-207	1×10^{1}	1×10^{6}
Po-208	1×10^{1}	1×10^{4}
Po-209	1×10^{1}	1×10^{4}
Po-210	1×10^{1}	1×10^{4}
At-211	1×10^{3}	1×10^{7}
Rn-220 ([b])	1×10^{4}	1×10^{7}
Rn-222 ([b])	1×10^{1}	1×10^{8}
Ra-223 ([b])	1×10^{2}	1×10^{5}
Ra-224 ([b])	1×10^{1}	1×10^{5}
Ra-225	1×10^{2}	1×10^{5}
Ra-226 ([b])	1×10^{1}	1×10^{4}
Ra-227	1×10^{2}	1×10^{6}
Ra-228 ([b])	1×10^{1}	1×10^{5}
Ac-225 ([b])	1×10^{1}	1×10^{4}
Ac-227 ([b])	1×10^{-1}	1×10^{3}
Ac-228	1×10^{1}	1×10^{6}
Th-226 ([b])	1×10^{3}	1×10^{7}
Th-227	1×10^{1}	1×10^{4}
Th-228 ([b])	1×10^{0}	1×10^{4}
Th-229 ([b])	1×10^{0}	1×10^{3}
Th-230	1×10^{0}	1×10^{4}

Th-231	1×10^{3}	1×10^{7}
Th-232	1×10^{1}	1×10^{4}
Th-234 ([b])	1×10^{3}	1×10^{5}
Pa-230	1×10^{1}	1×10^{6}
Pa-231	1×10^{0}	1×10^{3}
Pa-233	1×10^{2}	1×10^{7}
U-230	1×10^{1}	1×10^{5}
U-231	1×10^{2}	1×10^{7}
U-232 ([b])	1×10^{0}	1×10^{3}
U-233	1×10^{1}	1×10^{4}
U-234	1×10^{1}	1×10^{4}
U-235 ([b])	1×10^{1}	1×10^{4}
U-236	1×10^{1}	1×10^{4}
U-237	1×10^{2}	1×10^{6}
U-238 ([b])	1×10^{1}	1×10^{4}
U-239	1×10^{2}	1×10^{6}
U-240	1×10^{3}	1×10^{7}
U-240 ([b])	1×10^{1}	1×10^{6}
Np-237 ([b])	1×10^{0}	1×10^{3}
Np-239	1×10^{2}	1×10^{7}
Np-240	1×10^{1}	1×10^{6}
Pu-234	1×10^{2}	1×10^{7}
Pu-235	1×10^{2}	1×10^{7}
Pu-236	1×10^{1}	1×10^{4}

Pu-237	1×10^{3}	1×10^{7}
Pu-238	1×10^{0}	1×10^{4}
Pu-239	1×10^{0}	1×10^{4}
Pu-240	1×10^{0}	1×10^{3}
Pu-241	1×10^{2}	1×10^{5}
Pu-242	1×10^{0}	1×10^{4}
Pu-243	1×10^{3}	1×10^{7}
Pu-244	1×10^{0}	1×10^{4}
Am-241	1×10^{0}	1×10^{4}
Am-242	1×10^{3}	1×10^{6}
Am-242m ([b])	1×10^{0}	1×10^{4}
Am-243 ([b])	1×10^{0}	1×10^{3}
Cm-242	1×10^{2}	1×10^{5}
Cm-243	1×10^{0}	1×10^{4}
Cm-244	1×10^{1}	1×10^{4}
Cm-245	1×10^{0}	1×10^{3}
Cm-246	1×10^{0}	1×10^{3}
Cm-247	1×10^{0}	1×10^{4}
Cm-248	1×10^{0}	1×10^{3}
Bk-249	1×10^{3}	1×10^{6}
Cf-246	1×10^{3}	1×10^{6}
Cf-248	1×10^{1}	1×10^{4}
Cf-249	1×10^{0}	1×10^{3}
Cf-250	1×10^{1}	1×10^{4}

Cf-251	1×10^{0}	1×10^{3}
Cf-252	1×10^{1}	1×10^{4}
Cf-253	1×10^{2}	1×10^{5}
Cf-254	1×10^{0}	1×10^{3}
Es-253	1×10^{2}	1×10^{5}
Es-254	1×10^{1}	1×10^{4}
Es-254m	1×10^{2}	1×10^{6}
Fm-254	1×10^{4}	1×10^{7}
Fm-255	1×10^{3}	1×10^{6}

([1]) Potassium salts in quantities less than 1,000 kg are exempted.

([b]) Parent radionuclides and their progeny whose dose contributions are taken into account are presented in the following table:

Parent radionuclide	**Progeny**
Ge-68	Ga-68
Sr-82	Rb-82
Sr-90	Y-90
Zr-93	Nb-93m
Zr-97	Nb-97
Ru-106	Rh-106
Ag-108m	Ag-108
Cs-137	Ba-137m
Ba-140	La-140
Ce-144	Pr-144
W-188	Re-188

Pb-210	Bi-210, Po-210
Pb-212	Bi-212, Tl-208 (0,36), Po-212 (0,64)
Bi-212	Tl-208 (0,36), Po-212 (0,64)
Rn-220	Po-216
Rn-222	Po-218, Pb-214, Bi-214, Po-214
Ra-223	Rn-219, Po-215, Pb-211, Bi-211, Tl-207
Ra-224	Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0,36), Po-212 (0,64)
Ra-226	Rn-222, Po-218, Pb-214, Bi-214, Po-214, Pb-210, Bi-210, Po-210
Ra-228	Ac-228
Ac-225	Fr-221, At-217, Bi-213, Po-213 (0,978), Tl-209 (0,0216), Pb-209 (0,978)
Ac-227	Fr-223 (0,0138)
Th-226	Ra-222, Rn-218, Po-214
Th-228	Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0,36), Po-212 (0,64)
Th-229	Ra-225, Ac-225, Fr-221, At-217, Bi-213, Po-213, Pb-209
Th-234	Pa-234m
U-230	Th-226, Ra-222, Rn-218, Po-214
U-232	Th-228, Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0,36), Po-212 (0,64)
U-235	Th-231
U-238	Th-234, Pa-234m
U-240	Np-240m
Np-237	Pa-233

Am-242m	Am-242
Am-243	Np-239

ANNEX 3

Table 1. Clearance levels for materials with surface contamination.

Radiation source or contaminated material	**Surface activity** (Bq/cm^2)
Alpha emitters	0,4
Other than low-energy gamma and beta emitters	4
Low-energy gamma and beta emitters	40
Average surface activity of the walls, floors and roofs of a building or facility left standing	0,4
A one square metre area in the aforementioned building or facility	1

STUK
SÄTEILYTURVAKESKUS
STRÅLSÄKERHETSCENTRALEN
RADIATION AND NUCLEAR SAFETY AUTHORITY
Osoite / Address | Laippatie 4, 00880 Helsinki
Postiosoite / Postal address | PL / P.O.Box 14, FI-00811 Helsinki, FINLAND
Puh. / Tel. (09) 759 881, +358 9 759 881 | Fax (09) 759 88 500, +358 9 759 88 500 | www.stuk.fi